# Manli GeForce® GTX 1660 Series

15 March, 2019 - Manli Technology Group Limited, the major Graphics Cards, and other components manufacturer, today announced the brand new 16 series graphics solution, Manli GeForce<sup>®</sup> GTX 1660 family comes with blower style fan, twin cooling fans, and single cooling fan.

Manli GeForce<sup>®</sup> GTX 1660 series is powered by award-winning NVIDIA Turing<sup>TM</sup> architecture. It is equipped with the world's fastest memory, 6GB of GDDR5, and 192bit memory controller. For the base clock is at 1530MHz which can dynamically boost up to 1785MHz, especially Gallardo version which can boost up to 1830MHz to deliver a smooth and fast gaming experience.



### Manli GeForce® GTX 1660 Gallardo

Manli GeForce GTX 1660 Gallardo is built with dual 8cm fan and two composite copper heatpipes to provide more efficient heat dissipation and lower noise levels.





## Manli GeForce<sup>®</sup> GTX 1660 with Blower Fan & Single Fan

The blower style fan comes with propitious cloud pattern cooling cover design. Meanwhile, the upgraded dual ball bearing fan strengths cooling efficiency and improves lifespan.

For the single fan version consists of 8cm large single fan, and aluminum with the implanted copper core.

#### **Specifications**

o became and the second of the		
GEFORCE GTX 1880		
Manli GeForce® GTX 1660		
M-NGTX1660/5REHDP-M1432	M-NGTX1660/5REHDP-M1431	
GeForce <sup>®</sup> GTX 1660		
	1408	
6GB	GDDR5	
1	92-bit	
1530 /	1785MHz	
8Gbps		
Heatsink with Blower Fan	Heatsink with Fan	
DisplayPort, HDMI, dual-link DVI		
1 x 8-pin		
321 x 170 x 90mm		
	Manli GeFo M-NGTX1660/5REHDP-M1432 GeForce  6GB 1 1530 / 8 Heatsink with Blower Fan DisplayPort, Hi	



Product Name	Manli GeForce <sup>®</sup> GTX 1660 Gallardo
Model Name	M-NGTX1660G/5REHDP-M2436
Chipset Name	GeForce <sup>®</sup> GTX 1660
CUDA Cores	1408
Memory Configuration	6GB GDDR5
Memory Interface	192-bit
Base Clock / Boost Clock	1530 / 1830MHz
Memory Speed	8Gbps
Cooling Design	Heatsink with Twin Cooler
Output Ports	DisplayPort, HDMI, dual-link DVI
Power Connectors	1 x 8-pin
Box Dimension	321 x 170 x 90mm

#### **Main Features**

- > Based on Turing Architecture
- $> NVIDIA^{\text{@}}$  GeForce Experience  $^{TM}$
- > NVIDIA Ansel
- > NVIDIA Highlights
- > NVIDIA G-SYNC<sup>TM</sup> Compatible
- > Game Ready Drivers
- > Microsoft<sup>®</sup> DirectX<sup>®</sup> 12 API, Vulkan API, OpenGL 4/5
- > DisplayPort 1.4a, HDMI 2.0b, dual-link DVI
- > HDCP 2.2
- > NVIDIA® GPU Boost<sup>TM</sup>
- > VR Ready

#### **System Requirements**

- > PCI Express-compliant motherboard with one dual-width x16 graphics slot
- > One 8-pin supplementary power connector
- > 450W or greater system power supply

10350 台北市大同區南京西路278號12樓 12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C. Tel: +886-2-2555-8881 Fax: +886-2-2555-5829 Website: www.manli.com



- > 1.5GB available hard-disk space
- > 8GB system memory (16GB recommended)
- > Microsoft<sup>®</sup> Windows<sup>®</sup> 10 64-bit (April 2018 Update or later), Windows<sup>®</sup> 7 64-bit, Linux 64-bit
- > DVD-ROM drive or Internet connection







<sup>\*</sup> The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

--- End---

## **About Manli Technology Group Limited**

Established in 1996, Manli Technology has been one of major manufacturer and exporter of Graphics Cards and other components. Headquartered in Hong Kong, Manli's branches and facilities continue to expand into China, Korea, Europe, and Middle East.

For more information, please visit <a href="http://www.manli.com">http://www.manli.com</a>

#### **Media Contacts**

#### **Erin Wang**

Manli Technology Group Limited

Tel: (886) 2 – 2555 8881 # 61

Fax: (886) 2 – 2555 5829

Email: marketing@manli.com.hk